GB Standard Ball Valve For Temperature Up To 450°C And Pressure 150-600 PSI

Basic Information

- Place of Origin:
- Brand Name: FABIA
- Certification: ISO9001,CE,CCS,DNV
 Model Number: 1/8 inch 36 inch

China

- Minimum Order 1 set
 Quantity:
- Price: Negotiable
 Packaging Details: Cartons/Wooden cases
- Delivery Time: 15-30 work days
- Delivery Time: 15-30 work days
 Payment Terms: L/C, D/A, D/P, T/T, MoneyGram, Western Union
 Supply Ability: 100-1000 set per week

Product Specification

Product Name:	Electric Stainless Steel Ball Valve
Operation:	Electric
Material:	Stainless Steel
Connection:	Threaded
• Size:	DN10-200
• Temperature:	-54-260°C
• Seat Type:	PEEK
Pressure:	150-600 PSI
• Highlight:	600 PSI Ball Valve, 450°C Ball Valve, GB Standard Ball Valve

More Images

Product Description

GB Standard Ball Valve For Temperature Up To 450°C And Pressure 150-600 PSI

1. Description:

Ball Valve is operated using pneumatic force, making it suitable for high-pressure applications.

The pneumatic actuator allows for quick and easy operation, providing efficient control over the valve.

This makes FB Ball Valve a popular choice in industries such as oil and gas, chemical, and pharmaceutical.

2. Specification:

FABIA Valve Parameter List	
Valve type:	GB Standard Ball Valve For Temperature Up To 450°C And Pressure 150-600
	PSI
Size:	1/8 inch 8 inch
Material:	WCB,Q235B,2507,A105,CF8(304),CF8M(316),CF3M
	(316L),CF3(304L),PVC,ZG1Cr18Ni9Ti,ZG1Cr18Ni12Mo2Ti
Connection type:	Welded connection/flange connection/thread connection/clamp connection
Driving model:	Manual/Worm gear drive/Pneumatic/Electric
Pressure rating:	PN1.0 PN64,ANSI CLASS 150-900,JIS10-20K
Temperature:	-196 540
Model:	FB-Q

3. Features:

Highly Durable: Ball Valve is built to withstand harsh industrial environments and ensure long-term use.

Efficient Flow Control: With its precise design and advanced technology,

Ball Valve provides accurate flow control and minimizes energy loss, resulting in cost savings.

Easy to Operate: Ball Valve's pneumatic operation makes it easy to use, even in remote or hazardous areas.

Wide Temperature Range: It can handle temperatures up to 450°C, making it suitable for various high-temperature applications. Versatile Connection Options:Ball Valve offers butt weld connection.

Providing a secure and leak-proof joint for different piping systems .

Fabia Valve Industry (Suzhou) Co., Ltd.

sales@fabia-china.com

6 fbballvalve.com

Room 1305, Building 3, Jundi Business Plaza, No.3, Weihua Road, Suzhou Industrial Park

