

China

FABIA

1 set

Union

Negotiable

ISO9001,CE,CCS,DNV

Cartons/Wooden cases

100-1000 set per week

L/C, D/A, D/P, T/T, MoneyGram, Western

1/8 inch 36 inch

15-30 work days

Stainless Steel Spring Type Safety Valve Full Open Natural Gas Relief Valve

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:

Product Specification

• Supply Ability:

Product Name:

Valve Type:

• Actuator Type:

Pressure Rating:

• Material:

• Size:

Valve Operation:

- Sanitary Quick Installation Ball Valve Manual Special Purpose Valves Stainless Steel Manual 1/4-36
- Temperature Rating:
- Highlight:
- 1000 PSI 200°F
- Stainless Steel Spring Type Safety Valve, Full Open Natural Gas Relief Valve, Natural Gas Relief Valve



More Images





Product Description

Stainless Steel Spring Type Safety Valve Full Open Natural Gas Relief Valve

1. Description:

Spring type safety valve adjusts the pressure of the valve spring through the elastic deformation of the valve spring.

So as to control the opening and closing of the valve.

2. Specification:

FABIA Valve Parameter List	
Valve type:	Stainless Steel Spring Type Safety Valve Full Open Natural Gas Relief Valve
Size:	1/8 inch 8 inch
Material:	WCB,Q235B,2507,A105,CF8(304),CF8M(316),CF3M (316L),CF3(304L),PVC,ZG1Cr18Ni9Ti,ZG1Cr18Ni12Mo2Ti
Connection type:	Welded connection/flange connection/thread connection/clamp connection
Driving model:	Manual/Worm gear drive/Pneumatic/Electric
Pressure rating:	PN1.0 PN16,ANSI CLASS 150-900,JIS10-20K
Temperature:	-196 540
Model:	FB-Q

3. Features:

Simple structure, low manufacturing cost.

Fast opening speed, short response time.

Sanitary ball valve can prevent static electricity.

Long life, easy maintenance.

It is widely used in petrochemical, coal, energy and other industries.

Wide range of pressure, spring type safety valve can be applied to liquid, gas, steam and other media pressure protection.



