



## Electric High Vacuum Rated Stainless Steel Butterfly Valve For Food And Beverage

Our Product Introduction

for more products please visit us on [fbballvalve.com](http://fbballvalve.com)

### Basic Information

- Place of Origin: China
- Brand Name: FABIA
- Certification: ISO9001,CE,CCS,DNV
- Model Number: 1/8 inch 36 inch
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Cartons/Wooden cases
- Delivery Time: 15-30 work days
- Payment Terms: L/C, D/A, D/P, T/T, MoneyGram, Western Union
- Supply Ability: 100-1000 set per week



### Product Specification

- Product Name: Electric Vacuumbutterfly Valve
- Name: Vacuum Butterfly Valve
- Type: Butterfly Valve
- Temperature: High Temperature
- Vacuum: High Vacuum
- Pressure: High Pressure
- Material: Stainless Steel
- Seal: PTFE/EPDM
- Connection: Flanged
- Pressure Rating: 1000 Psi
- Size: 1/2-8
- Temperature Rating: 450°F
- Highlight: **High Vacuum Rated Butterfly Valve,  
Stainless Steel Butterfly Valve,  
Food And Beverage Butterfly Valve**



### More Images



## Product Description

### electric High Vacuum Rated Stainless Steel Butterfly Valve For Food And Beverage

#### 1. Description:

Electric vacuum butterfly valve is a device used to control fluid flow, especially suitable for connecting or cutting off airflow in vacuum pipelines. It adopts a rotary electric and electronic regulating valve drive device, which controls the valve opening, closing or intermediate position through the switching of external power supply (such as manual switch or computer control) or external input signals. The design of this valve ensures quality and safety, including comprehensive testing of pressure, material, sealing, and other aspects to ensure quality.

#### 2. Specification:

FABIA Valve Parameter List	
Valve type:	Vacuum butterfly valve Electric stainless steel valve
Size:	1/8 inch 8 inch
Material:	WCB,Q235B,2507,A105,CF8(304),CF8M(316),CF3M(316L),CF3(304L),PVC,ZG1Cr18Ni9Ti,ZG1Cr18Ni12Mo2Ti
Connection type:	Welded connection/flange connection/thread connection/clamp connection
Driving model:	Manual/Worm gear drive/Pneumatic/Electric
Pressure rating:	PN1.0 PN16,ANSI CLASS 150-900,JIS10-20K
Temperature:	-196 540
Model:	FB-Q.....

#### 3. Features:

Simple structure and easy maintenance.

Easy to operate and can be automatically controlled by electric actuator.

Good sealing, can effectively prevent fluid leakage.

Long service life, can meet the long-term stable fluid control needs



Attribute	Value
Product Name	Electric Vacuum Ball Valve
Name	Vacuum Ball Valve
Type	Ball Valve
Temperature	High Temperature
Vacuum	High Vacuum

Attribute	Value
Pressure	High Pressure
Material	Stainless Steel
Seal	PTFE/EPDM
Connection	Flanged
Pressure Rating	1000 psi
Size	1/2 to 8 inches
Temperature Rating	450°F
Flow Direction	Bidirectional
Actuator Type	Electric
Standards	ANSI, ISO 9001
Control Type	On/Off or Modulating



**Fabia Valve Industry (Suzhou) Co., Ltd.**



+8618913247051/+8618912658215/+8618260178084



sales@fabia-china.com



fballvalve.com

Room 1305, Building 3, Jundi Business Plaza, No.3, Weihua Road, Suzhou Industrial Park